




# 2017 U.S. OPEN



<b>DISTANCE:</b>	<b>43 FEET</b>	<b>VOLUME:</b>	<b>33.757 mL</b>
<b>RATIO:</b>	<b>1.60:1</b>	<b>FORWARD:</b>	<b>23.252 mL</b>
<b>DROP BRUSH:</b>	<b>43 FEET</b>	<b>REVERSE:</b>	<b>10.505 mL</b>
<b>TANKS:</b>	<b>ICE &amp; ICE</b>	<b>PUMP:</b>	<b>MULTI</b>



## FORWARD LOADS DATA

#	START	STOP	LOADS	MICS	SPEED	BUFF	TANK	DISTANCE	T.OIL
1	2L	2R	4	48	14	3	A - ICE	0 → 6	7,104
2	4L	4R	3	42	14	3	A - ICE	6 → 12	4,158
3	5L	5R	2	48	18	3	A - ICE	12 → 17	2,976
4	7L	7R	2	50	18	3	A - ICE	17 → 22	2,700
5	2L	2R	1	50	18	3	A - ICE	22 → 24	1,850
6	5L	5R	3	48	22	3	A - ICE	24 → 34	4,464
7	2L	2R	0	48	18	3	A - ICE	34 → 40	0
8	2L	2R	0	48	14	3	A - ICE	40 → 43	0


## REVERSE LOADS DATA

#	START	STOP	LOADS	MICS	SPEED	BUFF	TANK	DISTANCE	T.OIL
1	2L	2R	0	50	30	3	B - ICE	43 → 32	0
2	13L	9R	2	50	26	3	B - ICE	32 → 25	1,900
3	10L	6R	2	50	26	3	B - ICE	25 → 17	2,500
4	2L	2R	3	55	26	3	B - ICE	17 → 7	6,105
5	2L	2R	0	50	10	3	B - ICE	7 → 0	0

**THIS PATTERN IS DESIGNED FOR:**

VARIABLE MICROLITER STREAMS | DUAL CONDITIONING TANKS

This pattern may require adjustments if using a lane machine that does not have these features



**KEGEL PATTERN LIBRARY APP**



[PATTERNLIBRARY.KEGEL.NET](http://PATTERNLIBRARY.KEGEL.NET)



SCAN QR CODE TO  
SHARE AND  
DOWNLOAD  
THIS PATTERN

