




NBF 293724



DISTANCE:	37 FEET	VOLUME:	24.08 mL
RATIO:	2.93:1	FORWARD:	15.44 mL
DROP BRUSH:	37 FEET	REVERSE:	8.64 mL
TANKS:	KEGEL & KEGEL	PUMP:	40µL



FORWARD LOADS DATA

#	START	STOP	LOADS	MICS	SPEED	BUFF	TANK	DISTANCE	T.OIL
1	2L	2R	6	40	14	4	A - KEGEL	0 → 10	8,880
2	7L	7R	1	40	18	3	B - KEGEL	10 → 12	1,080
3	9L	9R	3	40	18	3	A - KEGEL	12 → 20	2,760
4	11L	11R	2	40	18	3	B - KEGEL	20 → 25	1,520
5	13L	13R	2	40	18	3	B - KEGEL	25 → 30	1,200
6	2L	2R	0	40	22	3	A - KEGEL	30 → 37	0

REVERSE LOADS DATA

#	START	STOP	LOADS	MICS	SPEED	BUFF	TANK	DISTANCE	T.OIL
1	2L	2R	0	40	30	2	A - KEGEL	37 → 34	0
2	14L	14R	1	40	22	3	B - KEGEL	34 → 31	520
3	14L	14R	2	40	18	3	A - KEGEL	31 → 26	1,040
4	10L	10R	2	40	18	3	A - KEGEL	26 → 21	1,680
5	11L	11R	2	40	18	3	A - KEGEL	21 → 16	1,520
6	9L	9R	1	40	18	3	B - KEGEL	16 → 13	920
7	2L	2R	2	40	18	3	A - KEGEL	13 → 8	2,960
8	2L	2R	0	40	18	4	B - KEGEL	8 → 0	0

THIS PATTERN IS DESIGNED FOR:

VARIABLE BUFFER SPEEDS | DUAL CONDITIONING TANKS

This pattern may require adjustments if using a lane machine that does not have these features

Created May 17, 2024



KEGEL PATTERN LIBRARY APP



PATTERNLIBRARY.KEGEL.NET



SCAN QR CODE TO
SHARE AND
DOWNLOAD
THIS PATTERN

